

ASSEMBLY INSTRUCTION

HIVE

Designed by

VERNER PANTON

VERPAN

*It is not the individual lamp, the individual
carpet or the individual shelf that completes
a room. But the combination of colour
complexity and light as a whole.*

BEFORE YOU GET STARTED

IMPORTANT!: Always turn off the electrical current before installing any fixture.




Read the entire manual before mounting

RECOMMENDATION:


To achieve a bright, warm and clean light. We recommend a light source with the following: 800+ lumens, 2700 Kelvin, CRI90+

MAINTENANCE: IMPORTANT! Clean with a soft cloth, warm water and a mild detergent. Do NOT use any abrasive materials.

BOX CONTAINS:



Hive Lamp x 1



Canopy x 1



Suspension Tube x 1



Wire Lock x 1



Plastic Loop x 1



Strain Relief x 1



Terminal Block x 1

NOT INCLUDED:




Flathead Electric Screwdriver



Philips Screwdriver



E27, max. 60W


**1**

Apply the strain relief, canopy and hanger to the cord, in correct order.

2

Secure the plastic loop to the cord.
Fix the steel wire around the screws on the suspension tube and apply the wire lock on the steel wire.

ASSEMBLY INSTRUCTION



3

Place the outlet cord in the terminal block and assemble it with screws.



4

Connect the cord to an outlet or extend it by using the terminal block.

5

Push and tighten the wire lock on the steel wire and firmly tighten the screws. Use the suspension tube to mount the lamp on the ceiling.

NB! The steel wire should carry the total weight of the lamp.




6

Lift the canopy so the thread at the bottom of the suspension tube is visible. Tighten the strain relief to the suspension tube.

7

Lift the canopy to the ceiling and tighten the screw on the canopy. Tighten the set screw on the strain relief.

ASSEMBLY INSTRUCTION



8

Apply the light source in the socket.



VERPAN - EGESKOVVEJ 29 - DK-8700 HORSENS
WWW.VERPAN.COM

info@verpan.com